Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S5	0	correlation near calculator and decider and generator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:39
S6	587	correlation near2 calculator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:39
S7	2	S6 and decider and generator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:43
S8	9775	correlation near value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:43
S9	6342	symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:43
S10	16	S8 with S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:44
S11	6354	spread$3 near process$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:44
S12	9003	spread$3 near code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:44

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S14	2	correlation near value$2 and decid$3 with symbol near rate and spread$3 near code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:50
S15	20	correlation and decider and spread$3 near code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:51
S20	1083	plural$3 near correlation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:59
S22	4019	spread near code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 18:52
S24	5	S23 and plurality with correlation near value$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 18:54
S25	8	symbol and S6 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 19:03
S28	64512	mobile near communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 19:04
S29	44329	mobile near station	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 19:04

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S30	794	S28 and correlation near value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 19:05
S31	22	S30 and symbol near rate and plurality with correlation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 19:05
S32	16	S31 and spread$3 near code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 19:05
S33	1482	correlation near value near calculat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:04
S34	352	S33 and plurality with correlation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:04
S35	14	S34 and symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:05
S36	2783	replica near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:06
S37	9655	reduce near2 delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:06

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S38	1751	improve near receiv$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:07
S39	2854	radio near receiv$3 near apparatus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:07
S40	1	S36 and S37 and S38 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:07
S41	32	S36 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:11
S42	544	generat$3 near2 replica near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:12
S43	587	correlation near2 calculator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:12
S44	715	plurality with correlation near value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:12
S45	1	S42 and S43 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:12

Ref	Hits	Query	Database	Op	Plurals	Date
S46	3	S42 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:13
S47	1095	calculate near4 correlation	USPAT	OR	OFF	2004/12/13 15:45
S48	238	(decide with symbol rate) and (plural with correlation)	USPAT	OR	OFF	2004/12/13 15:45
S60	9	choose with (symbol near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 15:58
S62	0	S61 and replica near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 15:59
S63	2784	replica near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 15:59
S64	821	correlation near4 calculator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 15:59
S69	136	multiple with (correlation near value$2)	USPAT	OR	OFF	2004/12/13 16:13
S70	16	S69 and symbol near rate	USPAT	OR	OFF	2004/12/13 16:19
S71	10494	spread near spectrum	USPAT	OR	OFF	2004/12/13 16:19
S72	7656	interference near signal	USPAT	OR	OFF	2004/12/13 16:19
S73	450	cancel$3 near apparatus	USPAT	OR	OFF	2004/12/13 16:19
S74	11	S71 and S72 and S73	USPAT	OR	OFF	2004/12/13 16:26
S75	956	interference near cancel$3	USPAT	OR	OFF	2004/12/13 16:26
S76	54	S75 and replica near signal	USPAT	OR	OFF	2004/12/13 16:27
S77	11	S76 and symbol near rate	USPAT	OR	OFF	2004/12/13 16:50
S78	1019567	compar$3 near symbol rate	USPAT	OR	OFF	2004/12/13 16:51
S79	0	compare near despread near result$2	USPAT	OR	OFF	2004/12/13 16:51
S80	3	compare near correlation near value	USPAT	OR	OFF	2004/12/13 16:51

Ref	Hits	Query	Database	Op	Plurals	Date
S81	135	compare$2 near correlat$3 near value$2	USPAT	OR	OFF	2004/12/13 16:52
S82	3643	symbol near rate	USPAT	OR	OFF	2004/12/13 16:52
S83	1984	despread	USPAT	OR	OFF	2004/12/13 16:52
S85	0	correlation near calculator and candidate$2 and symbol near rate$2 and receive$2 near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:11
S86	0	correlation near calculator and candidate$2 and symbol near rate$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:11
S87	0	correlat near calculator and candidate$2 symbol near rate$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:11
S88	0	correlat$3 near calculator and candidate$2 and symbol near rate$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:12
S89	1	correlat$3 near3 calculator and candidate$2 symbol near rate$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:12
S90	1	correlat$3 near3 calculator and specif$3 near symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:24
S91	244	multiple near symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:25
S92	582	multiple with symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:25

Ref	Hits	Query	Database	Op	Plurals	Date
S114	2115	spread$3 near factor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:54
S115	328	S114 and symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:54
S116	53	S114 with correlation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:55
S117	19	S116 and symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:56
S118	1	S116 and (different or variable or specifi$3 or change) near symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:56
S119	1	S116 and (different or variable or specifi$3 or multiple) near symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:57
S120	4	S116 and (different or variable or specifi$3 or multiple) with symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:57
S122	0	(correlat$4 with ((multiple or many or plural) near user)) same ((multiple or plural or many) near symbol near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:02

Ref	Hits	Query	Database	Op	Plurals	Date
S123	0	((correlat$4 or match) with ((multiple or many or plural) near user)) same ((multiple or plural or many) near symbol near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:02
S124	0	((correlat$4 or match) with ((multiple or many or plural) near (user$2 or candidate$2))) same ((multiple or plural or many) near symbol near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:03
S135	15	spread near spectrum and (correlate or match) with (symbol near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:20
S136	9791	correlation near value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:20
S138	49	(S136) same symbol near rate$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:21
S139	0	(S136) same transmission near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:21
S140	21	(S136) same (transmission near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:37
S144	0	(match near filter) with (correlation and symbol near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:42

S14 5	15	(match near filter) with (match and symbol near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:42
S14 6	15	(match near filter) with ((match or correlat$3) and symbol near rate$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:45
S14 7	0	(match near filter) with ((match or correlat$3) and symbol near rates)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:45
S14 9	6	select with symbol near rates	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:50
S15 0	0	(interference or noise or disturbance) same (cancel or eliminate) and (symbol near rates near (generate or calculate or correlate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:52
S15 1	1213	mobile near system and (many or multiple or plural) near (users or recievers or inputs)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:54
S17 6	2	(correlation near values) same (symbol near rates) and (select or decide or choose)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 18:43
S18 0	7	Interference and replica near signal and symbol near rates and correlation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 10:33

S18 1	9	Interference and symbol near rates with correlat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 11:43
S18 2	5	Interference and symbol near rates with (decide or select or choose and correlat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 11:46
S18 3	0	Interference and symbol near rates with (correlat$3 and select)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 11:47
S18 4	33	interference and (plural$3 or multiple or many) with correlation near values and symbol near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 11:57
S18 7	1	interference and (plural$3 or multiple or many) with symbol near rates with (select or decide or choose)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:01
S18 8	3	interference and (plural$3 or multiple or many) with correlat$3 with symbol near rates	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:21
S19 3	0	calculate with correlation with symbol near rates	USPAT	OR	OFF	2004/12/16 14:24
S19 4	6	calculate$2 with correlat$3 with symbol near rate$2	USPAT	OR	OFF	2004/12/16 14:34
S19 5	117	correlation with per with symbol	USPAT	OR	OFF	2004/12/16 14:34
S19 6	14	correlation near value with per with symbol	USPAT	OR	OFF	2004/12/16 15:11
S19 8	0	match near filter with symbol near rates	USPAT	OR	OFF	2004/12/16 15:11
S20 0	1	RAKE with symbol near rates	USPAT	OR	OFF	2004/12/16 15:13

S20 4	0	receive near signal with combine with symbol near rate$2 and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:29
S20 5	1	receive near signal with combine with symbol and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:31
S20 6	0	receive near signal with combine with (multiple or many or plural or several) with symbol and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:30
S20 7	0	receive near signal with combine with (multiple or many or plural or several or different) with symbol and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:30
S20 8	0	receive near signal with transmission near rates with symbol and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:31
S20 9	2	receive near signal with transmission near rates and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:44
S21 0	11	receive near signal with transmission near rate$2 and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:48
S21 2	1	receive near signal with transmission near rate$2 and (select or calculate or choose or decide) with maximum with transmission near rate and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:01

S21 3	0	"value per symbol" with transmission near rate with calculat$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:01
S21 4	0	"value per symbol" with transmission near rate with calculat$2 and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:59
S21 5	1	despread with symbol near rates with (choose or decide or select) with value	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:00
S21 6	0	despread with symbol near rate$3 with receive near signal	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:01
S21 7	1	despread$3 with symbol near rate$3 with receive near signal	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:58
S21 8	0	spread near code$2 with (relate or correspond or associate) with symbol near rate$2 and interference	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 18:00
S21 9	0	spread near code$2 with (relate or correspond or associate) with symbol near rate$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 18:00
S22 0	0	spread near (code$2 or factor$2) with (relate or correspond or associate) with symbol near rate$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 18:01

S22 1	9	spread near (code$2 or factor$2) and (relate or correspond or associate) with symbol near rate$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 18:01